CONTRACT LINE ITEM	EUREKA Part Number	HIF Item Code/Special Buying Assistance (SBA)	EUREKA Description	2021 IDIQ Contract Price (Does not include HIF 27% overhead)
MANTA2: SU	B2, SUB3, OR SUB 3.5			
1	Manta+20	SBA	Manta+ 20 multiprobe; 1.95" diameter; temperature, conductivity, pH, and optical dissolved-oxygen sensors. Includes 3 year warranty.	\$4,520
2	Manta+30	SBA	Manta+ 30 multiprobe; 2.95" diameter; temperature, conductivity, pH, optical dissolved-oxygen, and turbidity sensors	\$7,000
3	Manta+35A	SBA	Manta+35A multiprobe; 3.45" diameter; temperature, conductivity, pH, optical dissolved-oxygen, and turbidity sensors, plus two small ports (for instance, for ammonium and TDG sensors) and two medium ports (for instance, for chlorophyl a and phycocyanin sensors); choose your additional sensors from the sensor list	\$7,820
4	Manta+20-IBP	SBA	MANTA+ 20 Multiprobe, Ø1.95" Sensors included: Temperature, Conductivity (with specific conductance, salinity, and TDS), pH (with separate reference electrode), Optical dissolved-oxygen sensor. Includes internal battery pack, weighted sensor guard, storage and calibration cups, embedded memory for internal logging, marine connector, electronic manual, MantaManager software and standard three year warranty.	\$5,125
5	Manta+30-IBP	SBA	MANTA+ 30 Multiprobe, Ø2.95" Sensors included: Temperature, Conductivity (with specific conductance, salinity, and TDS), pH (with separate reference electrode), Optical dissolved-oxygen and Turbidity. Includes internal battery pack, weighted sensor guard, storage and calibration cups, temperature sensor, embedded memory for internal logging, marine connector, electronic manual, MantaManager software and standard three year warranty.	\$7,680

Page 1 of 6 1/27/2021

6	Manta+35	6108001	MANTA+35 multiprobe; 3.45" diameter; temperature, conductivity, pH, optical dissolved-oxygen, and turbidity sensors, plus two small ports (for instance, for ammonium and TDG sensors) and two medium ports (for instance, for chlorophyl a and phycocyanin sensors); choose your additional sensors, if any, from the sensor list	\$8,430
7	AddSub-Depth-High	SBA	add high-range depth (0 to 200m) sensor to any Sub multiprobe, also provides BP readings	\$475
8	AddSub-Depth-Low	SBA	add low-range depth (0 to 25m) sensor to any Sub multiprobe, also provides BP readings	\$475
9	AddSub-Depth-Vented	SBA	add vented depth (0 to 10m) sensor to any Sub multiprobe, also provides BP readings	\$475
10	AddSub-ORP	SBA	add ORP sensor to any Sub multiprobe	\$190
11	AddSub-SS	SBA	add 316 stainless-steel housing to any Sub multiprobe	\$400
12	TrimBase	SBA	Base unit for Trimeter (No-IBP) - Need to add any sensor from list below: (Temp and/or Depth optional with any sensor - no other substitutions)	\$660
13	TrimBaseIBP	SBA	Base unit for Trimeter with IBP, Includes internal battery pack for 3 D cell batteries. Base unit for Trimeter (No-IBP) - Need to add any sensor from list below: (Temp and/or Depth optional with any sensor - no other substitutions)	\$825
14	TrimAddTemperature	SBA	Add Temperature sensor to any Trimeter multiprobe.	\$55
15	AddDepthLow	SBA	Add Depth, Low Range (0 to 25m), sensor to any Trimeter multiprobe, also provides BP readings.	\$422
16	AddDepthHigh	SBA	Add Depth, High Range (0 to 200m), sensor to any Trimeter multiprobe, also provides BP reading.	\$422
17	AddDepthVented	SBA	Add Depth, Vented (0 to 10m), sensor to any Trimeter multiprobe.	\$422
SENSORS:				
18	Ammonium	SBA	Ammonium (NH4+) ISE sensor	\$935
19	BGA-Fresh	SBA	Blue-Green Algae sensor for fresh water (Phycocyanin), with titanium housing	\$2,600
20	BGA-Marine	SBA	Blue-Green Algae sensor for salt water (Phycoerythrin), with titanium housing	\$2,600

Page 2 of 6 1/27/2021

21	Bromide	SBA	Bromide (Br-) ISE sensor	\$935
22	Chloropyhll	SBA	Chlorophyll A sensor	\$2,600
23	Chloride	SBA	Chloride (CI-) ISE sensor	\$935
24	CO2	SBA	Carbon dioxide (CO2) sensor	\$9,500
25	CDOM/fDOM	SBA	CDOM/fDOM sensor with Titanium Body	\$2,900
26	CrudeOil	SBA	Crude oil sensor	\$3,895
27	Depth-High	SBA	Depth, high-range (0 to 200m) sensor	\$498
28	Depth-Low	SBA	Depth, low-range (0 to 25m) sensor	\$498
29	Depth-Vented	SBA	Depth, vented (0 to 10m) sensor	\$498
30	Fluorescein	SBA	Fluorescein sensor	\$2,600
31	DO	SBA	Optical dissolved-oxygen (HDO) sensor; Luminescence- based "Lifetime" operation; Titanium shell	\$1,625
32	MiniCleaner	SBA	MiniCleaner brush system for cleaning sensor tips	\$935
33	Nitrate	SBA	Nitrate (NH3-) ISE sensor	\$935
34	OpBright	SBA	Optical Brightener sensor	\$2,600
35	PAR	SBA	PAR sensor, Li-Cor 193 underwater spherical quantum sensor	\$2,600
36	рН	SBA	pH sensor; requires reference electrode	\$388
37	pH/ORP	SBA	pH and ORP combination sensor; requires reference electrode	\$514
38	RefElectrode	SBA	Reference electrode, required for pH, pH/ORP, and ISE's	\$210
39	RefinedOil	SBA	Refined oil sensor	
40	Rhodamine	SBA	Rhodamine sensor	\$2,600
41	SC	SBA	Conductivity sensor, also used to calculate specific conductance, salinity and TDS	\$470
42	Sodium	SBA	Sodium (Na+) ISE sensor	\$935
43	TDG	SBA	Total Dissolved Gas (TDG) sensor	\$1,300
44	Tryp	SBA	Tryptophan sensor	\$6,195
45	Turbidity	SBA	Turbidity sensor with wiper	\$1,800
MPHIBIAI	N 2 RUGGED FIELD PC:			
46	Amph2	SBA	Amphibian2 Data Display	\$2,040
47	Amph2-GPS	6108012	Amphibian2 Data Display with GPS.	\$2,350
48	AndroidTablet	SBA	Pantech Tablet Data Display, IP67 with Bluetooth, or equivalent	\$640
NDERWA	TER CABLES:			
49	Cable-M+002m	SBA	Cable, 2-meter underwater	\$384
50	Cable-M+003m	SBA	Cable, 3-meter underwater	\$384

Page 3 of 6 1/27/2021

51	Cable-M+005m	SBA	Cable, 5-meter underwater	\$410
52	Cable-M+0010m	6108019	Cable, 10-meter underwater	\$452
53	Cable-M+015m	6108020	Cable, 15-meter underwater	\$494
54	Cable-M+020m	SBA	Cable, 20-meter underwater	\$536
55	Cable-M+025m	6108021	Cable, 25-meter underwater	\$578
56	Cable-M+030m	SBA	Cable, 30-meter underwater	\$620
57	Cable-M+035m	SBA	Cable, 35-meter underwater	\$662
58	Cable-M+040m	SBA	Cable, 40-meter underwater	\$704
59	Cable-M+050m	SBA	Cable, 50-meter underwater	\$788
60	Cable-M+075m	SBA	Cable, 75-meter underwater	\$998
61	Cable-M+100m	SBA	Cable, 100-meter underwater	\$1,208
62	Cable-M+150m	SBA	Cable, 150-meter underwater	\$1,628
63	Cable-M+200m	SBA	Cable, 200-meter underwater	\$2,048
64	Cable-M+V005m	SBA	Cable, 5-meter underwater, vented	\$504
65	Cable-M+V010m	SBA	Cable, 10-meter underwater, vented	\$525
66	Cable-M+V015m	SBA	Cable, 15-meter underwater, vented	\$599
67	Cable-M+V020m	SBA	Cable, 20-meter underwater, vented	\$630
68	Cable-M+V025m	SBA	Cable, 25-meter underwater, vented	\$672
69	Cable-M+V030m	SBA	Cable, 30-meter underwater, vented	\$714
70	Cable-M+V050m	SBA	Cable, 50-meter underwater, vented	\$882
CESSORI	ES:			
71	AuxBattery	SBA	Auxiliary battery; connects multiprobe to Amphibian, PC, or other display device (e.g. tablet, smart phone); 12.6 Volt, 4.5 Ah Li-ion with 110 volt AC wall charger	\$350
72	AuxBattery-BT	6108035	Auxiliary battery with Bluetooth; connects multiprobe to Amphibian, PC, or other display device (e.g. tablet, smart phone); 12.6 Volt, 4.5 Ah Li-ion with 110 volt AC wall charger	\$440
73	Cable-M+PC	SBA	Cable connects multiprobe (Manta + series) to display devices - not for field use	\$120
74	CableReel	SBA	Cable reel for up to 200m of cable	\$1,260
75	Cable-Y	SBA	Cable connects multiprobe and display device to a user- supplied external battery	\$170
76	CalCube-ChlA	SBA	CalCube (Secondary Calibration Cap) for Chlorophyll, Rhodamine, Fluorescein, Phycoerythrin, and Phycocyanin sensors	\$595

Page 4 of 6 1/27/2021

77	CalCube-Oil	SBA	CalCube (Secondary Calibration Cap) for Crude Oil and CDOM sensors	\$595
78	Case Hard - Large	SBA	Case, large, hard-sided, waterproof, black	\$285
79	Case Hard - Small	SBA	Case, small, hard-sided, waterproof, black	\$250
80	Case Soft-Small	SBA	Custom Soft Case-Small	\$250
81	Case Soft-Large	SBA	Custom Soft Case-Large	\$285
82	CopperKit-20	SBA	Copper-gauze anti-fouling kit for Manta+ 20	\$250
83	CopperKit-30	SBA	Copper-gauze anti-fouling kit for Manta+ 30	\$250
84	CopperKit-35	SBA	Copper-gauze anti-fouling kit for Manta+ 35	\$250
85	CopperMesh	SBA	Replacement copper gauze for copper-gauze anti-fouling kits; 5" x 30"	\$15
86	M+ ExtBattPack-30	SBA	External Battery Pack for Manta+3.0 (8 C)	\$590
87	ExtTurbBrush	SBA	Extended brush for turbidity sensor to reduce fouling on other sensors	\$50
88	FlowCell-20	SBA	Flow cell for Manta2-20 and Sub2	\$60
89	FlowCell-25	SBA	Flow cell for Manta2-30 and Sub3	\$80
90	FlowCell-30	SBA	Flow cell for Manta2-30 and Sub3	\$100
91	HDOCap	6108030	Replacement cap for HDO sensor	\$330
92	PipeKit-35	SBA	Pipe kit for protecting Manta2-20 through Manta2-35 and Manta2 Sub3.5 multiprobes; with hinged locking cap	\$300
93	PipeKit-40	SBA	Pipe kit for protecting Manta2-40 multiprobes; with hinged locking cap	\$300
94	ReferenceElectrolyte	SBA	Replacement reference-electrode electrolyte, 4 oz.	\$12
95	SDI12Converter	6108010	Converts any multiprobe output to SDI-12	\$330
96	TDGMembranes	SBA	Replacement TDG membrane	\$180
97	TurbidityWipers	SBA	Replacement turbidity wiper; four-pack	\$60
98	USBAdapter	SBA	Adapts any multiprobe and cable (underwater or PC) to USB communication and power	\$60
99	TLM:CellTelemSystem	SBA	Cell Telemetry System; includes NEMA Enclosure, Charge Controller with Battery Cut-off, Datalogger with built in GPRS/GSM/GPS	\$4,100
100	BPLT - Buoy Platform	SBA	Buoy platform, 24" x 14", 150 lb buoyancy, well, mounting box, 4" pass-thru hole.	\$3,150

Page 5 of 6 1/27/2021

	ON SOLUTIONS:			
101	Amm-High-1L	SBA	Ammonium standard, concentration 50 mg/L-N, activity 46.3 mg/L-N, 1 L	\$160
102	Amm-Low-1L	SBA	Ammonium standard, concentration 5 mg/L-N, activity 4.63 mg/L-N, 1 L	\$160
103	Calcium-0.1M -1 L	SBA	Calcium standard, 0.1 molar, 1 L	\$120
104	DO-Zero-1L	SBA	Dissolved-oxygen standard, 0 mg/l, 1 L	\$30
105	Nitrate-High-1L	SBA	Nitrate standard, high, 1 L	\$110
106	Nitrate-Low-1L	SBA	Nitrate standard, low, 1 L	\$110
107	ORP-200-1L	SBA	ORP standard, 200 mV, 1 L	\$110
108	pH-10-10L	SBA	pH 10 buffer, 10 L	\$80
109	pH-10-1L	SBA	pH 10 buffer, 1 L	\$40
110	pH-4-10L	SBA	pH 4 buffer, 10 L	\$80
111	pH-4-1L	SBA	pH 4 buffer, 1 L	\$40
112	pH-7-10L	SBA	pH 7 buffer, 10 L	\$80
113	pH-7-1L	SBA	pH 7 buffer, 1 L	\$40
114	SC-12856-10L	SBA	Conductivity standard, 12,856 microS KCl, 10 L	\$80
115	SC-12856-1L	SBA	Conductivity standard, 12,856 microS KCl, 1 L	\$40
116	SC-1412-10L	SBA	Conductivity standard, 1412 microS KCl; also used as 319.3 mg/l chloride standard, 10 L	\$80
117	SC-1412-1L	SBA	Conductivity standard, 1412 microS KCl; also used as 319.3 mg/l chloride standard, 1 L	\$40
118	SC-147-10L	SBA	Conductivity standard, 147 microS KCl; also used as 34.3 mg/l chloride standard, 10 L	\$80
119	SC-147-1L	SBA	Conductivity standard, 147 microS KCl; also used as 34.3 mg/l chloride standard, 1 L	\$40
120	SC-58670-10L	SBA	Conductivity standard, 58,670 microS KCl, 10 L	\$80
121	SC-58670-1L	SBA	Conductivity standard, 58,670 microS KCl, 1 L	\$40
122	Turb-0-1L	SBA	Turbidity standard, 0 NTU, 1 L	\$90
123	Turb-10-1L	SBA	Turbidity standard, 10 NTU, 1 L	\$90
124	Turb-100-1L	SBA	Turbidity standard, 100 NTU, 1 L	\$90
125	Turb-400-1L	SBA	Turbidity standard, 400 NTU, 1 L	\$90
126	Turb-600-1L	SBA	Turbidity standard, 600 NTU, 1 L	\$90

Page 6 of 6 1/27/2021